

Understanding Human Milk Oligosaccharides (HMOs) diversity in human milk

Jodi Bettler, MA, RD

Reference List

Reference list

1. Ackerman DL, Doster RS, Weitkamp JH, et al. Human milk oligosaccharides exhibit antimicrobial and antibiofilm properties against Group B streptococcus. *ACS Infect Dis*. 2017;3(8):595-605.
2. Andreas NJ, Kampmann B, Mehring Le-Doare K. Human breast milk: A review on its composition and bioactivity. *Early Hum Dev*. 2015;91(11):629-35.
3. Angeloni S, Ridet JL, Kusy N, et al. Glycoprofiling with micro-arrays of glycoconjugates and lectins. *Glycobiology*. 2005;15(1):31-41.
4. Austin S, De Castro CA, Bénét T, et al. Temporal change of the content of 10 oligosaccharides in the milk of Chinese urban mothers. *Nutrients*. 2016;8(6):346.
5. Austin S, De Castro CA, Sprenger N, et al. Human milk oligosaccharides in the milk of mothers delivering term versus preterm infants. *Nutrients*. 2019;11(6):1282.
6. Ayechu-Muruzabal V, van Stigt AH, Mank M, et al. Diversity of human milk oligosaccharides and effects on early life immune development. *Front Pediatr*. 2018;6:239.
7. Ballard O, Morrow AL. Human milk composition: nutrients and bioactive factors. *Pediatr Clin North Am*. 2013;60(1):49-74.
8. Berger PK, Plows JF, Jones RB, et al. Human milk oligosaccharide 2'-fucosyllactose links feedings at 1 month to cognitive development at 24 months in infants of normal and overweight mothers. *PLoS One*. 2020;15(2):e0228323.
9. Berger B, Porta N, Foata F, et al. Linking human milk oligosaccharides, infant fecal community types, and later risk to require antibiotics. *mBio*. 2020; 11(2) :e09196-19.
10. Bode L, Jantscher-Krenn E. Structure-function relationships of human milk oligosaccharides. *Adv Nutr*. 2012;3(3):383S-91S.

Reference list

11. Bode L. Human milk oligosaccharides: every baby needs a sugar mama. *Glycobiology*. 2012;22:1147-62.
12. Bode L. The functional biology of human milk oligosaccharides. *Early Hum Dev*. 2015;91(11): 619-22.
13. Cacho NT, Lawrence RM. Innate immunity and breast milk. *Front Immunol*. 2017;8:584.
14. Carlson AL, Xia K, Azcarate-Peril MA, et al. Infant gut microbiome associated with cognitive development. *Biol Psychiatry*. 2018;83(2):148-59.
15. Castillo-Courtade L, Han S, Lee S, et al. Attenuation of food allergy symptoms following treatment with human milk oligosaccharides in a mouse model. *Allergy*. 2015;70(9):1091-102.
16. Cheng L, Akkerman R, Kong C, et al. More than sugar in the milk: human milk oligosaccharides as essential bioactive molecules in breast milk and current insight in beneficial effects [published online ahead of print, 2020 Apr 24]. *Crit Rev Food Sci Nutr*. 2020;1-17.
17. Cho S, Zhu Z, Li T, et al. A positive correlation between breast milk 3'-sialyllactose and language development during early infancy. In: 6th WCPGHAN; June 3-6, 2020. Abstract 2090.
18. Cilieborg MS, Sangild PT, Jensen ML, et al. α 1,2-Fucosyllactose does not improve intestinal function or prevent Escherichia coli F18 diarrhea in newborn pigs. *J Pediatr Gastroenterol Nutr*. 2017;64(2):310-8.
19. Cravioto A, Tello A, Villafan H, et al. Inhibition of localized adhesion of enteropathogenic Escherichia coli to HEp-2 cells by immunoglobulin and oligosaccharide fractions of human colostrum and breast milk. *J Infect Dis*. 1991;163(6): 1247-55.
20. Duska-McEwen G, Senft AP, Ruetschilling TL, et al. Human milk oligosaccharides enhance innate immunity to respiratory syncytial virus and influenza in vitro. *Food Sci Nutr*. 2014;5:1387-98.

Reference list

21. Facinelli B, Marini E, Magi G, et al. Breast milk oligosaccharides: effects of 2'-fucosyllactose and 6'-sialyllactose on the adhesion of Escherichia coli and Salmonella typhimurium to Caco-2 cells. *J Matern Fetal Neonatal Med.* 2019;32(17):2950-2.
22. Field CJ. The immunological components of human milk and their effect on immune development in infants. *J Nutr.* 2005;135(1):1-4.
23. Hauser J, Clouard C, Reimert I, et al. Early life supplementation with blends of human milk oligosaccharides (HMO) improves cognitive functions in models of cognitive flexibility and memory. Paper presented at: 6th WCPGHAN; June 3-6, 2020.
24. Hauser J, Pisa E, Shanaz I, et al. Sialylated HMOs are shaping the development of cognitive functions. Paper presented at: 6th WCPGHAN; June 3-6, 2020.
25. Hester SN, Chen X, Li M, et al. Human milk oligosaccharides inhibit rotavirus infectivity in vitro and in acutely infected piglets. *Br J Nutr.* 2013;110(7):1233-42.
26. Holscher HD, Bode L, Tappenden KA. Human milk oligosaccharides influence intestinal epithelial cell maturation in vitro. *J Pediatr Gastroenterol Nutr.* 2017;64(2):296-301.
27. Holscher HD, Davis SR, Tappenden KA. Human milk oligosaccharides influence maturation of human intestinal Caco-2Bbe and HT-29 cell lines. *J Nutr.* 2014;144(5):586-91.
28. Jacobi SK, Yatsunenkov T, Li D, et al. Dietary isomers of sialyllactose increase ganglioside sialic acid concentrations in the corpus callosum and cerebellum and modulate the colonic microbiota of formula-fed piglets. *J Nutr.* 2016;146(2):200-8.
29. Kim J, Kim YJ, Kim JW. Bacterial clearance is enhanced by α 2,3- and α 2,6-sialyllactose via receptor-mediated endocytosis and phagocytosis. *Infect Immun.* 2018;87(1):e00694-18.
30. Kunz C, Rudloff S, Baier W, et al. Oligosaccharides in human milk: structural, functional, and metabolic aspects. *Ann Rev Nutr.* 2000;20(1):699-722.

Reference list

31. Laucirica DR, Triantis V, Schoemaker R, et al. Milk oligosaccharides inhibit human rotavirus infectivity in MA104 cells. *J Nutr.* 2017;147(9):1709-14.
32. Lefebvre G, Shevlyakova M, Charpagne A, et al. Time of lactation and maternal fucosyltransferase genetic polymorphisms determine the variability in human milk oligosaccharides. *Front Nutr.* 2020;7:225.
33. Lin AE, Autran CA, Szyzka A, et al. Human milk oligosaccharides inhibit growth of group B Streptococcus. *J Biol Chem.* 2017;292(27):11243-9.
34. Morrow AL, Ruiz-Palacios GM, Altaye M, et al. Human milk oligosaccharides are associated with protection against diarrhea in breast-fed infants. *J Pediatr.* 2004;145:297-303.
35. Natividad JM, Rytz A, Keddani S, et al. Blends of human milk oligosaccharides confer intestinal epithelial barrier protection in vitro. *Nutrients.* 2020; 12(10):3047.
36. Newburg DS, Ruiz-Palacios GM, Altaye M, et al. Innate protection conferred by fucosylated oligosaccharides of human milk against diarrhea in breastfed infants. *Glycobiology.* 2004;14(3):253-63.
37. Newburg DS, Ruiz-Palacios GM, Morrow AL. Human milk glycans protect infants against enteric pathogens. *Annu Rev Nutr.* 2005;25:37-58.
38. Newburg DS, Tanritanir AC, Chakrabarti S. Lactodifucotetraose, a human milk oligosaccharide, attenuates platelet function and inflammatory cytokine release. *J Thromb Thrombolysis.* 2016;42(1):46-55.
39. Newburg DS, Walker WA. Protection of the neonate by the innate immune system of developing gut and of human milk. *Pediatr Res.* 2007;61(1):2-8.
40. Newburg DS. Innate immunity and human milk. *J Nutr.* 2005;135(5):1308-12.

Reference list

41. Oliveros E, Ramirez M, Vazquez E, et al. Oral supplementation of 2'-fucosyllactose during lactation improves memory and learning in rats. *J Nutr Biochem*. 2016;31:20-7.
42. Puccio G, Alliet P, Cajozzo C, et al. Effects of infant formula with human milk oligosaccharides on growth and morbidity: a randomized multicenter trial. *J Pediatr Gastroenterol Nutr*. 2017; 64(4):624-31.
43. Rochat F, Blanchard C, Sprenger N, et al. Impact of HMOs on toddler microbiota and its activity. Paper presented at: 6th WCPGHAN; June 3-6, 2020.
44. Rochat F, Combremont S, Sprenger N, et al. Ability of individual infant gut bacteria to grow on HMOs and classic prebiotic oligosaccharides. Paper presented at: 6th WCPGHAN; June 3-6, 2020.
45. Rochat F, Combremont S, Sprenger N, et al. HMO usage by infant gut bacteria seems strain and HMO- structure specific. In: 6th WCPGHAN; June 3-6, 2020. Abstract 1345.
46. Ruiz-Moyano S, Totten SM, Garrido DA, et al. Variation in consumption of human milk oligosaccharides by infant gut-associated strains of *Bifidobacterium breve*. *Appl Environ Microbiol*. 2013;79(19):6040-9.
47. Samuel TM, Binia A, de Castro CA, et al. Impact of maternal characteristics on human milk oligosaccharide composition over the first 4 months of lactation in a cohort of healthy European mothers. *Sci Rep*. 2019;9(1):1-10.
48. Smith-Brown P, Morrison M, Krause L, Davies PS. Mothers secretor status affects development of childrens microbiota composition and function: a pilot study. *PLoS One*. 2016;11(9):e0161211.
49. Sprenger N, De Castro CA, Steenhout P, et al. Longitudinal change of selected human milk oligosaccharides and association to infants' growth, an observatory, single center, longitudinal cohort study. *PLoS One*. 2017;12(2):e0171814.
50. ten Bruggencate SJ, Bovee-Oudenhoven IM, Feitsma AL, et al. Functional role and mechanisms of sialyllactose and other sialylated milk oligosaccharides. *Nutr Rev*. 2014; 72(6):377-89.

Reference list

51. Thongaram T, Hoeflinger JL, Chow J, et al. Human milk oligosaccharide consumption by probiotic and human-associated bifidobacteria and lactobacilli. *J Dairy Sci.* 2017;100(10): 7825-33.
52. Urashima T, Hirabayashi J, Sato S, et al. Human milk oligosaccharides as essential tools for basic and application studies on galectins. *Trends Glycosci Glycotechnol.* 2018;30(172): SE51-65.
53. Vazquez E, Barranco A, Ramirez M, et al. Dietary 2'-fucosyllactose enhances operant conditioning and long-term potentiation via gut-brain communication through the vagus nerve in rodents. *PLoS One.* 2016;1(11):e0166070.
54. Vazquez E, Barranco A, Ramirez M, et al. Effects of a human milk oligosaccharide, 2'-fucosyllactose, on hippocampal long-term potentiation and learning capabilities in rodents. *J Nutr Biochem.* 2015;26(5):455-65.
55. Walsh C, Lane JA, van Sinderen D, et al. From lab bench to formulated ingredient: Characterization, production, and commercialization of human milk oligosaccharides. *J Funct Foods.* 2020;72:104052.
56. Walsh C, Lane JA, van Sinderen D, et al. Human milk oligosaccharides: Shaping the infant gut microbiota and supporting health. *J Funct Foods.* 2020;72:104074.
57. Weichert S, Koromyslova A, Singh BK, et al. Structural basis for norovirus inhibition by human milk oligosaccharides. *J Virol.* 2016 Apr 14;90(9):4843-4848.
58. Wiciński M, Sawicka E, Gębalski J, et al. Human milk oligosaccharides: Health benefits, potential applications in infant formulas, and pharmacology. *Nutrients.* 2020;12(1):266.
59. Yu ZT, Chen C, Newburg DS. Utilization of major fucosylated and sialylated human milk oligosaccharides by isolated human gut microbes. *Glycobiology.* 2013; 23(11):1281-92.